

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/647,630	30 08/25/2003 Hiroyuki		1232-4846US1	2548
7	590 12/01/2003		EXAMINER	
MORGAN & FINNEGAN, L.L.P.			DOWLING, WILLIAM C	
345 Park Avenue New York, NY 10154-0053			ART UNIT	PAPER NUMBER
			2851	

DATE MAILED: 12/01/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

			Application No.	Applicant(s)			
Office Action Summary		10/647,630	KODAMA ET AL.				
		Examiner	Art Unit				
			William C. Dowling	2851			
Th MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status							
1)⊠	1)⊠ Responsive to communication(s) filed on 12 August 2003.						
2a) <u></u>	This action is FINAL .	2b)⊠ This a	action is non-final.				
3)	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) 🖾	4) Claim(s) 1, 12-15 is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.							
5)⊠ Claim(s) <u>14</u> is/are allowed.							
	6)⊠ Claim(s) <u>1,12,13 and 15</u> is/are rejected.						
· <u> </u>	Claim(s) is/are objected to.						
	Claim(s) are subject to restr	iction and/or	election requirement.				
Applicati	on Papers						
•	The specification is objected to by t						
10)⊠	The drawing(s) filed on <u>12 August 2</u>		•	·			
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. §§ 119 and 120							
 12) △ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) △ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority documents have been received. 2. ☒ Certified copies of the priority documents have been received in Application No. 10/126,270. 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. a) ☐ The translation of the foreign language provisional application has been received. 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. 							
Attachment(s)							
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (nation Disclosure Statement(s) (PTO-1449)		5) Notice of Inform	ary (PTO-413) Paper No(s) al Patent Application (PTO-152)			

Application/Control Number: 10/647,630 Page 2

Art Unit: 2851

DETAILED ACTION

Double Patenting

1. A rejection based on double patenting of the "same invention" type finds its support in the language of 35 U.S.C. 101 which states that "whoever invents or discovers any new and useful process ... may obtain a patent therefor ..." (Emphasis added). Thus, the term "same invention," in this context, means an invention drawn to identical subject matter. See Miller v. Eagle Mfg. Co., 151 U.S. 186 (1894); In re Ockert, 245 F.2d 467, 114 USPQ 330 (CCPA 1957); and In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970).

A statutory type (35 U.S.C. 101) double patenting rejection can be overcome by canceling or amending the conflicting claims so they are no longer coextensive in scope. The filing of a terminal disclaimer $\underline{\text{cannot}}$ overcome a double patenting rejection based upon 35 U.S.C. $\underline{101}$.

- 2. Claim 1 is rejected under 35 U.S.C. 101 as claiming the same invention as that of claim 1 of prior U.S. Patent No. 6,637,889. This is a double patenting rejection.
- 3. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See In re Goodman, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); In re Longi, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); In re Van Ornum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, In re Thorington, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Art Unit: 2851

4. Claims 12-13, 15 rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1, 12 of U.S. Patent No. 6,637,889 in view of Hashizume et al.

Instant Claims 12, 13, 15 correspond to patented claims1 and 12 except that "specific" and "other" have been changed to -first- and -second-, and a polarization conversion element with two fly eye lens elements added.

Hashizume discloses the known use of a polarization conversion element preceded by lens array elements.

It would have been obvious at the time of the invention to modify the claimed device from Patent No. 6,637,889 by the addition of a known optical element as taught by Hashizume in order to provide light of a single polarization and increase light efficiency.

Allowable Subject Matter

- 5. Claim 14 is allowed.
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to William C. Dowling whose telephone number is 703-308-1287. The examiner can normally be reached on Mon.-Thurs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Russ Adams can be

Application/Control Number: 10/647,630 Page 4

Art Unit: 2851

reached on 703-308-2847. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9318.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-306-3431.

William C. Dowling Primary Examiner Art Unit 2851

wcd